

Hand Tools

AE201 Tensioning Hook



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

AE200 Cable Tie Tensioner



Use with BAND-IT® Ties / Multi-Lok Ties to tension cable ties.

A910 Mini Tie-Lok II Tool



For applying 4.5mm wide smooth ID Mini Tie-Lok® ties for cable bundling and identification tagging. Forms unique dimple lock with a strong locking force and cuts off the excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 100 pounds (445N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A920 Tie-Lok® II Tool



Applies 6.35mm wide smooth ID Tie-Lok® ties used in cable bundling and identification tagging. Locks tie with the patented Tie-Lok® and cuts off excess band flush with top of buckle so the completed lock is smooth and not sharp.

- Forms dimple lock with a loop tensile strength in excess of 250 pounds (890N)
- Adjustable controlled tension with repeatable results
- Easy to use, lightweight, compact design

A940 ULTRA-LOK® Tool



Applies 6.35mm wide Smooth ID Tie-Lok® ties. Locks tie with patented Ultra-Lok® cut-off for increased loop tensile strength in excess of 400Lbs (1776N).



C001 BAND-IT® Tool



For use on band widths of 3/16" to 3/4". Comes with a spin handle retaining ring to keep parts intact.

- Able to tension over 2,400 Lbs of force and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Uncoated Stainless Steel Band
- Drop forged tool with built in cutter
- Spring loaded gripper lever improves ease of use
- Blue epoxy powder coated finish resists corrosive elements

C075 Bantam Tool



BAND-IT® Bantam tool is a compact, lightweight, ratchet action tool with built in cutter.

- 3 way handle adjusts for one or two-handed tensioning
- Zinc plated for corrosion resistance
- Useful in tight areas with minimal access
- Designed for easy loading and removing of material
- Use with coated and uncoated BAND-IT® ties, Coated Band, Coated BAND-FAST™ or Valustrap up to 19mm wide

C400 Ratchet Tool



Heavy duty tensioner for 3/8" to 3/4" stainless steel in thickness up to 0.030". Highly portable, fast, reliable ratchet type tool. For sign hanging, insulation work and other banding applications.

- Tensions and cuts off the tail of the clamp being formed
- Used to apply BAND-IT® Stainless steel bands
- Designed for easy loading and removing of material
- Tool for use with medium strength applications

Hand Tools

J075 Thriftool®



Use with 1/2" wrench to tension. Uncoated band up to 3/8" wide. Does not contain a built in cutter.

J020 Pok-It II Tool



Lightweight pocket sized ratchet tool. Use to tension uncoated band up to 3/8" wide. Incorporates cutter lever.

K502 Ball-Lok Tool



Install Ball-Lok stainless steel ties (up to 7.9mm wide) quickly and easily with the lightweight, portable Ball-Lok tool with adjustable tension, side loading and automatic tail cut-off.

KE922 Tensioning Tool



Tensions and cuts off Ball-Lok and Multi-Lok ties up to 12mm wide regardless of material or coating. Incorporates a manual cut off lever.

M503 Multi-Lok Hand Tool



Quickly, easily and consistently applies any size Multi-Lok ties. Simply adjust the Multi-Lok tool for the desired tension, side load the tie into the tool and squeeze the handle. When the proper tension is reached, the Multi-Lok tool automatically cuts the tail off close to the buckle.

Power Tools

UL4000 Cordless Tool



- Fully portable battery operation
- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- One person operation
- Weight 3.88 Lbs (8.56 Kgs)

UL9010 Electric Tool



- Adjustable speed and torque
- Consistent application tensioning
- Applies both widths of Ultra-Lok Free-End Clamp*
- No roll-up of hose required
- One person operation
- Weight 4.3 Lbs (9.48 Kgs)

*1/2" Ultra-Lok clamps require M09387 shear plate fitted to tool

Tool weights

| PART NUMBER | DESCRIPTION | TOOL WEIGHT | | PACKAGE WEIGHT | |
|---------------|----------------------|-------------|------|----------------|-------|
| | | Kgs | Lbs | Kgs | Lbs |
| AE201 | Tensioning hook | 0.02 | 0.04 | 0.02 | 0.04 |
| AE200 | Cable tie tensioner | 0.26 | 0.57 | 0.32 | 0.71 |
| A910 | Mini Tie-Lok II tool | 0.54 | 1.19 | 0.58 | 1.28 |
| A920 | Tie-Lok II tool | 0.54 | 1.19 | 0.58 | 1.28 |
| A940 | Ultra-Lok tool | 0.54 | 1.19 | 0.58 | 1.28 |
| C001 | Band-it tool | 1.86 | 4.10 | 2.02 | 4.45 |
| C075 | Bantam tool | 1.04 | 2.29 | 1.18 | 2.60 |
| C400 | Ratchet tool | 1.44 | 3.18 | 1.52 | 3.35 |
| J057 | Thrifttool | 0.26 | 0.57 | 0.26 | 0.57 |
| J020 | Pok-It II tool | 0.4 | 0.88 | 0.48 | 1.06 |
| K502 | Ball-Lok tool | 0.54 | 1.19 | 0.58 | 1.28 |
| KE922 | Tensioning tool | 0.56 | 1.23 | 0.64 | 1.41 |
| M503 | Multi-Lok hand tool | 0.54 | 1.19 | 0.58 | 1.28 |
| UL4000 | Cordless tool | 3.88 | 8.56 | 10.04 | 22.14 |
| UL9010 | Electric Tool | 4.3 | 9.48 | 6.02 | 13.27 |